

Acronyms

Acronyms

Acronyms

A/R	as required
ABO	aviator's breathing oxygen
AC	alternating current
ACM	asbestos-containing material
ACGIH	American Conference of Governmental Industrial Hygienists
ACM	asbestos-containing material
ACP	Asbestos Control Program
AFGE	American Federation of Government Employees
AFM	Air Force Manual
AIAA	American Institute of Aeronautics and Astronautics
ALSO	area laser safety officer
AMC	Army Materials Command
ANSI	American National Standards Institute
APM	Asbestos Program Manager
ASHRAE	American Society of Heating, Refrigerating, and Air Conditioning Engineers
ASME	American Society of Mechanical Engineers
ASTM	American Society for Testing and Materials
BSC	biosafety cabinet
BSL	biosafety level
CAS	cost accounting standard
CCTV	closed circuit television
CFC	chlorofluorocarbon
CFM	cubic feet per minute
CFSAN	Center for Food Safety and Applied Nutrition
CGA	Compressed Gas Association
CHP	chemical hygiene plan
CIB	JPR1700-1ch5-6
CIH	Certified Industrial Hygienist
CNC	computer numerical control
CO ₂	carbon dioxide
COD	Center Operations Directorate
COSS	Center Operating Support Services
COTR	contracting officer's technical representative
COTS	commercial off-the-shelf
CPR	cardiopulmonary resuscitation
CSE	confined space entry permit
CSP	Certified Safety Professional
CTSD	Crew and Thermal Systems Division

Acronyms

DART	days away, restricted, transfer
dBA	decibels on the A-weighted scale
DC	direct current
DOT	Department of Transportation
DRD	data requirements description
DRL	data requirements list
DSHS	Department of State Health Services
DTP	detailed test procedure
EAP	emergency action plan
EED	electro-explosive device
EOC	Emergency Operations Center
EPA	Environmental Protection Agency
ESTA	Energy Systems Test Area
EWS	Emergency Warning System
f/cc	fiber per cubic centimeter
FAR	Federal Acquisition Regulations
FDA	Food and Drug Administration
FECA	Federal Employee Compensation Act
FEMA	Federal Emergency Management Agency
FEP	facility evacuation plan
FM	Factory Mutual
FRED	facilities request database
GFCI	ground fault circuit interrupter
GOPM	General Operating Procedure Manual
HACCP	Hazard Analysis and Critical Control Point
HATS	Hazard Abatement Tracking System
HazCom	Hazard Communication
HBV	hepatitis B virus
HCFC	hydro-chlorofluorocarbon
HCP	hearing conservation program
HCV	hepatitis C virus
HEPA	high-efficiency particulate air
HIV	human immunodeficiency virus
HOP	hazardous operations permit
HPD	hearing protection device
HVAC	heating, venting, and air conditioning
HWP	hot work permit
IDLH	immediately dangerous to life or health

Acronyms

IRIS	Incident Reporting Information System
ISS	International Space Station
JENS	JSC Emergency Notification System
JHA	job hazard analysis
JMC	JSC Management Council
JPD	JSC Policy Directive
JPR	JSC Procedural Requirement
JSAT	JSC Safety Action Team
K	Kelvin
Lair	liquid air
LAr	liquid argon
LEL	lower explosive limit
lf	linear feet
lfpm	linear feet per minute
LH ₂	liquid hydrogen
LHe	liquid helium
LN ₂	liquid nitrogen
LO	laser operator
LO ₂	liquid oxygen
LO/TO	lockout/tagout
LO/TO-CI	lockout/tagout center issuer
LOX	liquid oxygen
LSO	Laser Safety Office
LW-DA	lost workday case involving days away from work
LW-RD	lost workday case involving restricted duty
MAOP	maximum allowable operating pressure
MO	Medical Officer
MOU	memorandum of understanding
MPE	maximum permissible exposure
mph	miles per hour
MR	Medical Representative
MSD	musculoskeletal disorder
MSDS	Material Safety Data Sheet
MUTCD	Manual on Uniform Traffic Control Devices
NAICS	North American Industry Classification System
NBF	neutral buoyancy facility
NEPA	National Environment Policy Act
NESHAP	National Emission Standards for Hazardous Air Pollutants
NFPA	National Fire Protection Association

Acronyms

NFS	NASA FAR Supplement
NHZ	nominal hazard zone
Ni-Cd	nickel-cadmium
NIOSH	National Institute for Occupational Safety and Health
NOAA	National Oceanic and Atmospheric Administration
NPD	NASA Policy Directive
NPR	NASA Procedural Requirement
NRC	Nuclear Regulatory Commission
NRR	noise reduction rating
NSRS	NASA Safety Reporting System
NVR	nonvolatile residue
NWS	National Weather Service
O&M	operations and maintenance
OHD	Occupational Health Department
OIG	Office of the Inspector General
ORI	operational readiness inspection
OSHA	Occupational Safety and Health Administration
PACM	presume asbestos-containing material
PbB	blood lead
PCB	polychlorinated biphenyl
PEL	permissible exposure limit
PEP	Performance Evaluation Profile
POC	point of contact
PPE	personal protective equipment
ppm	parts per million
psid	pounds per square inch differential
PSM	process safety management
QARSO	Quality Assurance, Reliability, and Safety Office
%RH	percent relative humidity
RAC	risk assessment code
RF	radio frequency
RFCI	Resilient Floor Covering Institute
RPP	Respiratory Protection Program
RSC	Radiation Safety Committee
RSO	Radiation Safety Officer
SAG	Senior Advisory Group
SAI	spray-applied insulation
SAR	supplied air respirator
SARA	Superfund Amendments and Reauthorization Act

Acronyms

SATERN	Site for On-Line Learning and Resources
SCAPE	self-contained atmosphere protective equipment
SCBA	self-contained breathing apparatus
SCG	storage compatibility group
SEB	Source Evaluation Board
SLP	system level procedure
SMG	Spaceflight Meteorology Group
SOP	Standard Operating Procedure
SOW	statement of work
SPECS-IN-TACT	Specification Kept Intact
SSPP	system safety program plan
STS	standard threshold shift
TAC	Texas Administrative Code
TC	Test Conductor
TCEQ	Texas Commission on Environmental Quality
TD	Test Director
TDSHS	Texas Department of State Health Services
TGR	Task Group Representative
TLV	threshold limit value
TNRCC	Texas Natural Resource Conservation Commission
TRR	test readiness review
TRRB	Test Readiness Review Board
TRRB	Test Readiness Review Board
TSI	thermal system insulation
TSO	Test Safety Officer
TWA	time-weighted average
UL	Underwriters Laboratories
URR	use readiness review
USDOT	U.S. Department of Transportation
Vac	volts, alternating current
VPP	Voluntary Protection Program
WAD	work authorization document
WSTF	White Sands Test Facility
ZPP	zinc protoporphyrin